=> IFW: Scan as Doc Code: SRNT <= Doc Date: 4/6/06

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10/686195

1.) See <u>attached</u> printout of inventors listed in PALM

2.) See <u>attached</u> EAST Inventor Search Printout shows Inventor search terms



PALM INTRANET

Day: Thursday Date: 4/6/2006 Time: 11:26:34

Inventor Information for 10/686195

Inventor Name	City	State/Country			
KOLLEFRATH, RALF	OBERRIET	SWITZERLAND			
LAMPL, STEPHAN	LUCHINGEN	SWITZERLAND			
LUBBERS, DIERK	ALTSTATTEN	SWITZERLAND			
Appln Info Contents Petition Info	Atty/Agent Info Continuit	/ Data Foreign Data Invento			
Search Another: Application#	Search or Patent#	Search			
PCT /	Search or PG PUBS #	Search			
Attorney Docket #	Search				
Bar Code #	Search				

To go back use Back button on your browser toolbar.

Back to $\ \underline{PALM}\ |\ \underline{ASSIGNMENT}\ |\ \underline{OASIS}\ |\ Home\ page$

US 20050202367	US- PGF		050915	9 ·	Process for the retraction of	433/136		Kollefrath, Ralf et al.
A1					sulcus		-	Kan et al.
US 20050069838 A1	US- PGF		050331	:	Dental kit and method for retracting sulcus	433/136		Kollefrath, Ralf et al.
US 6040354 A	USF		000321		Impression compound with a silicon base and wax admixture	523/109	264/16; 524/277; 524/279; 524/487; 524/488; 524/489; 524/763; 524/862; 524/863; 524/906	Hubner; Heijo et al.
US 5739245 A	USF		980414		Plastics with a content of silane, ether, urethane and urea groups and their use as dental composition	528/28	528/29	Lubbers; Dierk et al.
US 5376336 A	USF	PAT 19	941227		Apparatus for determining the flow of matter passing through a boundary surface	422/82.06	250/281; 422/82.07; 422/86; 435/287.9; 435/288.7; 435/808; 600/310	Lubbers; Dietrich W. et al.
US 5368027 A	USF		941129		Sensor arrangement for direct or indirect optical determination of physical or chemical properties	600/345	600/350; 600/373; 600/433	Lubbers; Dietrich W. et al.
US 5353792 A	USF	PAT 19	941011		Sensing device	600/311	436/172	Lubbers; Dietrich W. et al.
US 5084550 A	USF	PAT 19	920128		Copolycarbonate from mixture of polyarylene diol	528/204	528/196; 528/202	Pakull; Ralf et al.
US 5059396 A	USF		911022		Arrangement for optical measuring of concentration of substances	422/82.11	422/83; 422/91	Opitz; Norbert et al.
US 5057431 A	USF	PAT 19	911015		Device for optical	435/287.9	356/436; 356/441;	Lubbers; Dietrich

		.	-	measuring of			422/56;		W. et al.
	:			physical			422/57;		W. Ot al.
				dimensions and			422/58;		
	-			material			422/73;		•
				concentrations			422/82.06;		
							422/82.07;		
	'						435/817;		
							436/169;		
							436/172;		
							436/178;		
				!			436/533		
US 4889690	USPAT	19891226		Sensor for		422/73	250/458.1;		Opitz;
A				measuring			250/461.1;		Norbert et
				physical			250/461.2;		al.
				parameters of			250/484.2;		
			•	concentration of			356/336;		
				particles			385/12		
US 4701697	USPAT	19871020		Arrangement for		324/96	324/453	1	Lubbers;
-A				measuring					Dietrich
				potential					W. et al.
				differences					
US 4643877	USPAT	19870217		Fluorometer		422/82.08	356/246;		Opitz;
A							356/417;		Norbert et
							356/437;		al.
							422/52;	ļ	
							422/83		
US 4606351	USPAT	19860819		Optical indicator		600/316	250/458.1;		Lubbers;
A				device for the		-	374/162;		Dietrich
				remote			435/14;		W.
				measurement of			600/477;	Ì	
				physical changes			600/569		
				in a test subject				ļ	
US 4597392	USPAT	19860701		Arrangement for		600/321	351/221;		Opitz;
A		İ		measuring			356/317;		Norbert et
				diffusing			356/318;		al.
				particles			356/38;		
	•						356/39;		
							600/310;		
							600/476;		
		1007055		1		40.6/1.00	600/479	 	T 11
US RE31879	USPAT	19850507		Method and		436/133	422/58;		Lubbers;
E				arrangement for			422/59;		Dietrich
·				measuring the			422/82.07;		W. et al.
				concentration of	·		422/86;		
				gases			432/163;		
	·						432/172;		
							600/310;		
							600/367; 600/476		
110 4511660	USPAT	19850416		Process and		436/163	204/420;	 	Lubbers;
US 4511660	USPAI	19030410		arrangement for		450/103	204/420, 204/433;		Dietrich
A				measuring ion			324/438;		W. et al.
L				I measuring ion	Ь.	1	J27/7J0,	<u> L</u>	vv. Ct al.

			strength		436/172	
US 4332439 A	USPAT	19820601	Method of producing a light conductor	385/121	385/115	Lubbers; Dietrich W. et al.
US 4306877 A	USPAT	19811222	Optical measurement of concentration	436/166	204/400; 204/415; 356/306; 356/39; 422/82.07; 422/91; 600/317; 600/397	Lubbers; Dietrich W.
US 4273442 A	USPAT	19810616	Spectral photometer for medical applications	356/326	356/303; 356/308; 356/41	Lubbers; Dietrich W.
US 4272485 A-	USPAT	19810609	Membranes for optodes	422/82.06	356/441; 422/50; 422/58; 422/82.05; 600/310; 600/476	Lubbers; Dietrich W.
US 4272484 A	USPAT	19810609	Filling for optodes	422/82.07	356/246; 356/441; 422/50; 422/58; 435/288.7; 600/310; 600/476	Lubbers; Dietrich W.
US 4269516 A	USPAT	19810526	Optode	356/427	356/39	Lubbers; Dietrich W. et al.
US 4255053 . A	USPAT	19810310	Photometer including auxiliary indicator means	356/318	356/243.8; 356/417; 422/83	Lubbers; Dietrich W. et al.
US 4241738 A	USPAT	19801230	Spectral photometer for medical use in determining skin coloration	600/479	356/40; 356/418; 356/419	Lubbers; Dietrich W. et al.
US 4230122 A	USPAT	19801028	Transcutaneous monitoring of critical perfusion-efficiency situations	600/357	600/504	Lubbers; Dietrich W. et al.
US 4217194 A	USPAT	19800812	Instrument for polarographic potentiometric, thermal and like measurements	204/192.15	204/192.12; 204/415; 204/420; 204/435	Lubbers; Dietrich W. et al.

		• 1	an	d a method of				
			ma	aking the same				
US 4215940 A	USPAT	19800805	- 1	otode rangement	35	6/402	356/41; 356/417	Lubbers; Dietrich W. et al.
US RE30317 E	USPAT	19800701	ap de pe ef	ethod and paratus for termining the rfusion ficiency factor animal tissue		00/363	600/431; 600/436; 600/504	Lubbers; Dietrich W. et al.
US 4114602 A	USPAT	19780919	ar de pe of	rangement for termining the rfusion factor a gas in a mple	60	00/359		Huch; Albert et al.
US 4003707 A	USPAT	19770118	M ar m	ethod and rangement for easuring the ncentration of ses	43	36/172	356/318; 356/39; 422/83; 436/163; 436/178; 436/68; 600/310	Lubbers; Dietrich W. et al.
US 3985633 A	USPAT	19761012	po m	evice for the larographic easurement of ygen pressure	20)4/412	204/415; 324/425; 600/345	Lubbers; Dietrich W. et al.
US 3929605 A	USPAT	19751230	qu ev di	oparatus for nickly aluating gases ssolved in	20)4/408	204/415; 600/348; 600/549	Lubbers; Dietrich W. et al.
US 3922088 A	USPAT	19751125	ap pł m	ethod and paratus for totometric easurement of incentration tios	35	56/40	250/564; 250/574; 356/419	Lubbers; Dietrich W. et al.
US 3918434 A	USPAT	19751111	ap de pe	ethod and paratus for termining the rfusion ficiency factor animal tissue	. 60	00/431	600/481	Lubbers; Dietrich W. et al.
US 3825342 A	USPAT	19740723	T O A M	OMPUTING YPE PTICAL BSORPTION IXTURE NALYZER	35	56/41	356/419	Lubbers; Dietrich Werner et al.